

Size Chart of TOFLON PCTFE Sheets

【 Unit : mm 】

Sheet Size	Thickness	Thickness Tolerance	
500□	+ 25	8	+ 3.0
	+ 0	9	+ 0.0
		10	
		12	
		13	
		15	
		18	
		20	
		22	
		25	
		28	
		30	
		35	
		40	+ 6.0
		45	+ 0.0
		50	
	55		
	58		
	60		

【 Unit : mm 】

Sheet Size	Thickness	Thickness Tolerance	
300□	+ 15	8	+ 3.0
	+ 0	9	+ 0.0
		10	
		12	
		13	
		15	
		18	
		20	
		22	
		25	
		28	
		30	
	32		
	35		
	40	+ 5.0	
	45	+ 0.0	

- ◆ Contact us for other sizes not listed.
- ◆ The dimensions given above shows the dimensions of material.
- ◆ For the surface and edge of the material, the standard type is of casting surface.

Size Chart of TOFLON PCTFE Compression Molded Round Bars

【 Unit : mm 】

Diameter	Diameter Tolerance	Length				Length Tolerance
φ 45	+ 1.0	-	-	300	-	+ 30
φ 50	+ 0.0	-	-	300	500	+ 0
φ 55		-	200	-	500	
φ 60		100	200	-	-	
φ 65		100	200	-	-	
φ 70		100	200	-	-	
φ 75		100	200	300	-	
φ 80		100	200	-	-	
φ 85		100	200	-	-	
φ 90		100	200	-	-	
φ 95		100	200	-	-	
φ 100		100	200	-	-	

- ◆ Contact us for other sizes not listed.
- ◆ The dimensions given above shows the dimensions of material.
- ◆ For the edge of round bars, the standard type is of casting surface.

Size Chart of TOFLON PCTFE Extrusion Molded Round Bars

【 Unit : mm 】

Diameter	Diameter Tolerance	Length	Length Tolerance
φ 5	+ 0.5	1,000	+ 15
φ 6	+ 0.0	1,000	+ 0
φ 7		1,000	
φ 8		1,000	
φ 9		1,000	
φ 10		1,000	
φ 11		1,000	
φ 12		1,000	
φ 13		1,000	
φ 14		1,000	
φ 15		1,000	
φ 16	+ 1.0	1,000	
φ 18	+ 0.0	1,000	
φ 20		1,000	
φ 22		1,000	
φ 23		1,000	
φ 25		1,000	
φ 28		1,000	
φ 30	(+ 3.0)	1,000	+ 30
φ 35	+ 0.0	1,000	0
φ 40		1,000	
φ 45		1,000	
φ 45	(+ 3.0) + 0.0	500	+ 15 + 0
φ 30	(+ 3.0)	300	(+ 30)
φ 35	0	300	+ 0
φ 40		300	
φ 45		300	

- ◆ The dimensions given above shows the dimensions of material.
- ◆ The upper limit of the tolerance in parentheses is given for reference only and may be exceeded.
- ◆ When extrusion molded round bars are annealed (optional), the length may be shorter than the length tolerance given above.